E7.3-11.125 NASA-CR-135663

"Made available under NASA sponsorship in the interest of early and wide dissemination of Earth Resources Survey Program information and without liability for any use made thereof."

A STUDY OF THE APPLICATION OF SKYLAB EREP

DATA TO AGRICULTURE IN THE MISSISSIPPI DELTA ALLUVIAL PLAINS REGION

EREP Investigation No. 399

E73-11125) A STUDY OF THE APPLICATION OF SKYLAB EREP DATA TO AGRICULTURE IN THE MISSISSIPPI DELTA ALLUVIAL PLAINS REGION Quarterly Report, 23 (Mississippi State Univ.) 5 p HC \$3.00 CSCL 02C

N73-33280

Unclas G3/13 01125

C. W. Bouchillon, P. I.
Institute for Environmental Studies
MISSISSIPPI STATE UNIVERSITY
P.O. Drawer GH
Mississippi State, Mississippi 39762

Quarterly Report for the Period July 23, 1973 - October 23, 1973

PREFACE

The object of this investigation is to explore the possible uses of Skylab EREP data in making agriculturally oriented decisions. The area of concern for this study is in the Mississippi Delta region, near Stoneville, Mississippi. Skylab MSS data will be analyzed through computerized pattern recognition programs by ERL at NASA/MTF. This derived information will then be formatted in a style to be agreed upon as being the clearest presentation of the most useful data, probably a color coded map and corresponding statistics. Results of a similar study, utilizing ERTS sattelite data, will be used to optimize the data format.

MSU researchers will then identify possible low and intermediate level users and acquaint them with the Skylab data product. Through interviews it will be determined what are the possible uses of this data, what time table of data delivery, what particular information is most useful to them, what format would be optimum for presentation of this information, and what changes (i.e. additional information) could make the data of more value to them. Using this information, an evaluation of Skylab EREP data's usefulness in making agricultural decisions will be made.

INTRODUCTION

This is the second quarterly report for this project as required by NASA Contract NAS9-13363. It covers the period beginning with the contracting date, July 23, 1973, and ending with October 23, 1973.

During this period, planning activity for the ground truth program has been performed. Data flow and communication between ERL-NASA/MTF, NASA-JSC and MSU have been exercised. Ground truth data has been gathered in the area of the EREP pass over northwest Mississippi. After the imagery is further examined, some ground truth plots may be established in the area of coverage of the EREP pass.

STATUS

Data on agricultural test plots is currently being taken with each ERTS-1 pass. Our plan was to use the same plots to obtain the ground truth necessary to process Skylab MSS data. However, in that Skylab was some 60 nm west of its intended orbits, these fields were not covered by EREP. If the orbit is shifted to original plan, the test fields already established and instrumented will be used to report the studies on the Skylab EREP data. Otherwise, other field locations will be established if possible. Table I presents a listing of Ground Truth Test plots with the crop, field size and per cent ground cover indicated.

The imagery from SL2, tract 5 on 12 June 1973, has been received. This data did not appear to be useful due to cloud cover, lack of site coverage and the fact that only a very small agricultural coverage was covered at all. In addition the SL3 imagery was not suitable due to a weather wipe-out.

The SL4 imagery, track 29 on 16 September 1973, seems to have possibilities of being good usable data. This data has not been received as yet however.

RECOMMENDATIONS

Plans for future work are dependent on the orbital location with respect to the planned test site.

Continued liaison with Dr. A. T. Joyce and Dr. R. H. Griffin at NASA-ERL-MTF will provide for suitable ground truth information for use in the study.

EXPECTED ACCOMPLISHMENTS

When data from the Skylab EREP package is available it will be analyzed to determine its utility in the study area. The channels of data flow and communication between ERL and MSU will be kept open and active for the EREP Program as well as through other cooperative efforts in the ERTS Program.

OUTLOOK

The outlook for the project is good, subject to the report of data. The first land use classification from ERTS-1 data using spectral signature analysis by NASA-ERL-MTF is very promising, and the increased resolution afforded by Skylab's lower orbit should add significantly to the usefulness of this type of information.

TABLE I

GROUND TRUTH TEST SITES FOR EREP

TEST SITE NUMBER	CROP	NUMBER OF ACRES	WEEDS	9-13-73 % CLOUD COVER
1	Rice (Starbonnet)	150	(clean)	100.00
2	Rice (Starbonnet)	100	(clean)	100.00
3	Rice (Bluebell)	300	(clean)	100.00
4	Soybeans (Semmes)	150	(clean)	100.00
5	Soybeans (Bragg)	300	(moderate)	100.00
6	Soybeans (Bragg)	150	(clean)	100.00
7	Soybean (Lee 68)	73	(clean)	100.00
8	Soybean (Lee 68)	200	(heavy)	100.00
9	Soybean (Lee 68)	180	(light)	100.00
10	Cotton	120	(light)	100.00
11	Cotton	300	(heavy)	100.00
12	Cotton	100	(clean) '	100.00